

CERAMIN®

FLOOR

CATALOGUE
2023



Sustainability - the basis for CLASSEN's corporate philosophy & strategy

As a medium-sized family business, we think in closed cycles; the sustainable and responsible use of resources is a matter of course for us - from the procurement of raw materials to production and recycling. Our nearly 2,000 employees and management team live this philosophy in appreciation of our planet. Since 1962, constant knowledge of what consumers want has brought the CLASSEN Group to where the company is today. Our innovations include not only numerous patents as an expression of our innovative spirit, but above all continuous further development for a long-lasting and sustainable future.



CERAMIN[®] FLOOR

Content

01.	INTRODUCTION	4
02.	ONE NATURE	8
03.	PRO NATURE	14
04.	ALL NATURE	20
05.	UNIVERSE	24
06.	ENCORE	36
07.	ECO VINYL	42
08.	GREEN VINYL	50
09.	NEO 2.0	62
10.	NEO PRO	68
11.	TECHNICAL DATA	72


01. WHAT IS CERAMIN?

CERAMIN is an unique, patented technology.

CERAMIN is the natural material that makes the respective end products, such as synthetic flooring, something special. **Healthy to live** with and carefree to use.


As the heart of robust, durable polymer products **without PVC**. As a natural, pollutant-free material for long-lasting health. As the only market-ready alternative „Made in Germany” that already makes, for example, 100 % recyclable polymer floors and does not burden the environment and the future of our children.

The floor boards are dimensionally stable, robust, 100% waterproof, UV-resistant, easy to clean and simple and safe to install thanks to the quick installation systems.



FUTURE. NOW.

- 100% waterproof material
- PVC and pollutant free
- 100% recyclable
- made with recycled materials
- no smell
- kids and pets friendly
- acoustic comfort
- healthy for living
- robust
- durable
- UV-resistant
- floor heating friendly
- quick installation
- warm when touched






RECYCLING STRATEGY

Produced from recycled material


- For CERAMIN-based polymer floors, the recycled share of the total product is at least 25%
- The PP recyclates take up minimum 65% of the polymer share
- Through the use in CERAMIN, there is a so-called upcycling of the recycled material into a high-quality product with a long life

100% recyclable

- The independent network for the plastics recycling plastship GmbH has tested CERAMIN for its recyclability and certifies it as a very recyclable
- CLASSEN actively participates in the circular economy / Joint Venture Hündgen (HC Plastic)
- CERAMIN products from CLASSEN meet the requirements of the label of the Eco Institute and the environmental seal "Blauer Engel" of the German Federal Government, which is awarded only to wall and floor coverings without PVC.



Lifecycle of CERAMIN



Our strategy: **Today's components are tomorrow's raw materials**

Polypropylene instead of PVC


A more sustainable material for durable floor and wall coverings

- No harm to health
- No smell, no toxicity to human body
- 100% recyclable
- 25% lighter than PVC flooring.

CERAMIN



PVC



02.

ONE NATURE

1290 x 173 x 4 mm / Emotion

1290 x 246 x 4 mm / Elite



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



STRUCTURED SURFACE



EASYLOC



One Nature Elite Colonial Oak



One Nature Emotion European Oak



Canadian Oak 53644
1290 x 173 x 4 mm / str. synchro



Maltanian Oak 53645
1290 x 173 x 4 mm / str. synchro



Burgundian Oak 53646
1290 x 173 x 4 mm / str. synchro



European Oak 53649
1290 x 173 x 4 mm / str. synchro



Scottish Oak 53647
1290 x 173 x 4 mm / str. synchro



Virginian Oak 53648
1290 x 173 x 4 mm / str. synchro



Macedonian Oak 53656
246 x 1290 x 4 mm / str. synchro



Colonial Oak 53657
246 x 1290 x 4 mm / str. synchro



Californian Oak 53658
246 x 1290 x 4 mm / str. synchro



Caledonian Oak 53660
246 x 1290 x 4 mm / str. synchro



One Nature Elite Colonial Oak



Jantar Oak 53659
246 x 1290 x 4 mm / str. synchro



One Nature Elite Jantar Oak

03.

PRO NATURE

1290 x 203 x 4 mm
1290 x 246 x 4 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



EASYLOC



Pro Nature Caldas



Barrow 61862
1290 x 203 x 4 mm / str. matt



Slaney 61870
1290 x 203 x 4 mm / str. matt



Rockaway 61868
1290 x 203 x 4 mm / str. matt



Flushing Bay 61874
1290 x 203 x 4 mm / str. matt



Newtown Creek 62478
1290 x 203 x 4 mm / str. matt



Nore 61865
1290 x 203 x 4 mm / str. matt







Mocoa 62536
1290 x 246 x 4 mm / str. matt



Barranquilla 62537
1290 x 246 x 4 mm / str. matt



Soledad 62538
1290 x 246 x 4 mm / str. matt




Neiva 62540
1290 x 246 x 4 mm / str. matt



Miranda 62539
1290 x 246 x 4 mm / str. matt



Taraza 62545
1290 x 246 x 4 mm / str. matt



Soacha 62541
1290 x 246 x 4 mm / str. matt



Bello 62542
1290 x 246 x 4 mm / str. matt



Caldas 62543
1290 x 246 x 4 mm / str. matt



Andes 62544
1290 x 246 x 4 mm / str. matt

04.

ALL NATURE

1290 x 203 x 4 mm



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



EASYLOC




All Nature Pitcairn



Sable 63511
1290 x 203 x 4 mm / str. matt



Pinnacle 63512
1290 x 203 x 4 mm / str. matt




Wakhan 63513
1290 x 203 x 4 mm / str. matt



Pitcairn 63514
1290 x 203 x 4 mm / str. matt




Kimberley 63515
1290 x 203 x 4 mm / str. matt



Chile 63516
1290 x 203 x 4 mm / str. matt



Lusaka 63517
1290 x 203 x 4 mm / str. matt



Mungo 63518
1290 x 203 x 4 mm / str. matt



Banff 63519
1290 x 203 x 4 mm / str. matt

05.

UNIVERSE

776 x 387 x 4,5 mm / Tiles
1290 x 203 x 4,5 mm / Wood



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



STRUCTURED SURFACE



STONE SURFACE



MEGALOC



Pro Nature Caldas



Universe Tiles Ventoux




Ventoux 55518
776 x 387 x 4,5 mm / str. stone




Crissolo 54657
776 x 387 x 4,5 mm / str. stone



Briancon 54658
776 x 387 x 4,5 mm / str. stone



Barstow 54659
776 x 387 x 4,5 mm / str. stone



Durbuy 54654
776 x 387 x 4,5 mm / str. stone




Bishop 54660
776 x 387 x 4,5 mm / str. stone



Austin 54661
776 x 387 x 4,5 mm / str. stone



Perrero 54662
776 x 387 x 4,5 mm / str. stone



Ontario 54653
776 x 387 x 4,5 mm / str. stone




La Roche 54666
776 x 387 x 4,5 mm / str. stone



Arica 54663
776 x 387 x 4,5 mm / str. stone



Vallon 54718
776 x 387 x 4,5 mm / str. stone



Corral 54664
776 x 387 x 4,5 mm / str. stone



Drebach 54665
776 x 387 x 4,5 mm / str. stone




Vallon 54655
776 x 387 x 4,5 mm / str. stone



Yellowstone 54656
776 x 387 x 4,5 mm / str. stone



Dublin 54719
776 x 387 x 4,5 mm / str. stone



Aspin 55519
776 x 387 x 4,5 mm / str. stone



Universe Tiles Aspin



Innsbruck 54639
1290 x 203 x 4,5 mm / str. synchro



Como 54640
1290 x 203 x 4,5 mm / str. wood




Besancon 54641
1290 x 203 x 4,5 mm / str. synchro




Basel 54645
1290 x 203 x 4,5 mm / str. synchro



Freiburg 54642
1290 x 203 x 4,5 mm / str. synchro



Cologne 54643
1290 x 203 x 4,5 mm / str. synchro



Luzern 54644
1290 x 203 x 4,5 mm / str. synchro



Lausanne 54651
1290 x 203 x 4,5 mm / str. synchro



Universe Wood Basel



Universe Wood Reinach



Reinach 57024
1290 x 203 x 4,5 mm / str. matt



Thun 57023
1290 x 203 x 4,5 mm / str. matt



Aarau 57025
1290 x 203 x 4,5 mm / str. matt



Neuchatel 57026
1290 x 203 x 4,5 mm / str. matt



Montreux 57027
1290 x 203 x 4,5 mm / str. matt




Vevey 57028
1290 x 203 x 4,5 mm / str. matt



Innsbruck 61415
1290 x 203 x 4,5 mm / str. matt



Besancon 61417
1290 x 203 x 4,5 mm / str. matt



Cologne 61419
1290 x 203 x 4,5 mm / str. matt




Como 61416
1290 x 203 x 4,5 mm / str. matt




Universe Wood Como



Universe Wood Innsbruck



Freiburg 61418
1290 x 203 x 4,5 mm / str. matt



Luzern 61420
1290 x 203 x 4,5 mm / str. matt



Basel 61421
1290 x 203 x 4,5 mm / str. matt



Lausanne 61422
1290 x 203 x 4,5 mm / str. matt

06.

ENCORE

1290 x 246 x 5 mm / *with underlay / XL
638 x 310 x 5 mm / *with underlay / Tiles



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



STONE
SURFACE



EASYLOC



Encore Sandvig




Encore XL Farum



Farum 57634
1290 x 246 x 5 mm* / str. wood




Vidbaek 57635
1290 x 246 x 5 mm* / str. wood



Ekeby 57636
1290 x 246 x 5 mm* / str. wood



Borup 57637
1290 x 246 x 5 mm* / str. wood




Karlslunde 57638
1290 x 246 x 5 mm* / str. wood



Sandvig 57639
1290 x 246 x 5 mm* / str. wood




Halskov 57640
1290 x 246 x 5 mm* / str. wood



Versterborg 57641
1290 x 246 x 5 mm* / str. wood



Sundby 57642
1290 x 246 x 5 mm* / str. wood



Benagil 55223
638 x 310 x 5 mm* / str. stone



Encore XL Ventore



Vantore 57643
1290 x 246 x 5 mm* / str. wood



Silves 55224
638 x 310 x 5 mm* / str. stone



Encore Tiles Silves

07.

ECO VINYL

1290 x 246 x 4 mm
1290 x 246 x 5 mm / *with underlay
638 x 310 x 5 mm / *with underlay



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



STONE
SURFACE



EASYLOC



Eco Vinyl Patagonia



Mokala 55938
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56587*




Kruger 55939
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56588*



Masai Mara 55940
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56589*



Everglades 55944
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56607*




Patagonia 55945
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56593*



Hobro 55946
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56599*



Karoo 55941
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56591*



Yosemite 55942
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56600*



Denali 55943
 1290 x 246 x 4 mm / str. matt
 1290 x 246 x 5 mm* 56594*



Eco Vinyl Hobro



Eco Vinyl Grand Canyon



Saguaro 56608

1290 x 246 x 5 mm* / str. matt



Serengeti 57030

1290 x 246 x 5 mm* / str. matt



Arnager 55947

1290 x 246 x 4 mm / str. matt



Namaqua 56590

1290 x 246 x 4 mm / str. matt



Grand Canyon 56609

1290 x 246 x 5 mm* / str. matt



Kakadu 57031

1290 x 246 x 5 mm* / str. matt



Galapagos 57032

1290 x 246 x 5 mm* / str. matt



Yala 57033


1290 x 246 x 5 mm* / str. matt



Eco Vinyl Arnager



Eco Vinyl Cascade




Belford 55203
638 x 310 x 5 mm* / str. stone



Eco Vinyl Tapin



Cascade 55204
638 x 310 x 5 mm* / str. stone



Keverstone 55205
638 x 310 x 5 mm* / str. stone



Tapin 55206
638 x 310 x 5 mm* / str. stone

08.

GREEN VINYL

1290 x 173 x 3,8 mm / AC3
1290 x 173 x 4 mm / AC4
1290 x 203 x 4 mm / AC4
638 x 310 x 4 mm / AC4



ABRASION CLASS



USAGE CLASS



GUARANTEE



THICKNESS



4-SIDED BEVEL



STRUCTURED SURFACE



STONE SURFACE



EASYLOC



Green Vinyl Eiche Rustic



Traubeneiche 48317
1290 x 173 x 3,8 mm / str. wood



Pinie Gekalkt 48318
1290 x 173 x 3,8 mm / str. wood



Weisseiche 48319
1290 x 173 x 3,8 mm / str. wood



Eiche Natur 48320
1290 x 173 x 3,8 mm / str. wood



Schnee-Eiche 51997
1290 x 173 x 3,8 mm / str. wood



Sandeiche DY 51998
1290 x 173 x 3,8 mm / str. wood



Green Vinyl Sandeiche DY



Green Vinyl Risseiche Dunkel



Steineiche 48341
1290 x 173 x 4 mm / str. wood




Eiche Gek. Gr. 49780
1290 x 173 x 4 mm / str. wood



Risseiche Nat. 49781
1290 x 173 x 4 mm / str. wood




Pinie Weiss 48336
1290 x 173 x 4 mm / str. wood




Traubeneiche Geho. 48337
1290 x 173 x 4 mm / str. wood



Risseiche Dunkel 48338
1290 x 173 x 4 mm / str. wood



Eiche Creme 49782
1290 x 173 x 4 mm / str. wood



Eiche Rustic 52044
1290 x 173 x 4 mm / str. wood



Eiche Alpin 52045
1290 x 173 x 4 mm / str. wood



Green Vinyl Eiche Rustikal



Eiche Rustikal 55516
1290 x 203 x 4 mm / str. wood



Natureiche Hell 55517
1290 x 203 x 4 mm / str. wood




Strandeiche 56778
1290 x 203 x 4 mm / str. wood




Risseiche Braun 56779
1290 x 203 x 4 mm / str. wood



Karpaten Eiche 56944
1290 x 203 x 4 mm / str. wood



Grappa Eiche 56945
1290 x 203 x 4 mm / str. wood



Windeck E. D. DY 52397
1290 x 246 x 4 mm / str. wood



Windeck Eiche DY 52399
1290 x 246 x 4 mm / str. wood



Windeck E. H. DY 52398
1290 x 246 x 4 mm / str. wood



Green Vinyl Windeck E. D. DY



Green Vinyl Windeck E. H. DY




Green Vinyl Infinity Light DY



Nimbus Dark 49783
638 x 310 x 4 mm / str. stone




Nimbus Beige 49784
638 x 310 x 4 mm / str. stone




Light Stone 52042
638 x 310 x 4 mm / str. stone



Infinity Light DY 52293
638 x 310 x 4 mm / str. stone



Deep Stone 52043
638 x 310 x 4 mm / str. stone



Infinity Dark DY 52292
638 x 310 x 4 mm / str. stone

09.

NEO 2.0

1290 x 173 x 4,5 mm / Wood
638 x 310 x 4,5 mm / Stone



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



STONE
SURFACE



MEGALOC



Neo 2.0 Wood Canad. Summer Oak



Tanned Oak 40767
1290 x 173 x 4,5 mm / str. wood



Refined Oak 41116
1290 x 173 x 4,5 mm / str. wood



Brownshaded Elm 41120
1290 x 173 x 4,5 mm / str. wood



Bright Oak 51724
1290 x 173 x 4,5 mm / str. wood



African Maple 40921
1290 x 173 x 4,5 mm / str. wood



Canad. Summer Oak 40835
1290 x 173 x 4,5 mm / str. wood




Elm Silvergrey 40922
1290 x 173 x 4,5 mm / str. wood



Seawashed Oak 41638
1290 x 173 x 4,5 mm / str. wood






Grizzled Rock 51723
638 x 310 x 4,5 mm / str. stone



Coolgrey Loft 40811
638 x 310 x 4,5 mm / str. stone



Whitestream Stone 40812
638 x 310 x 4,5 mm / str. stone



Mystery Stone 41121
638 x 310 x 4,5 mm / str. stone



Mineral Slate 40813
638 x 310 x 4,5 mm / str. stone



Silvergr. Concr. 40814
638 x 310 x 4,5 mm / str. stone



Neo 2.0 Stone Silvergr. Concr.

10.

NEO PRO

1290 x 203 x 4,5 mm
1290 x 246 x 4,5 mm / XL



ABRASION
CLASS



USAGE
CLASS



GUARANTEE



THICKNESS



4-SIDED
BEVEL



STRUCTURED
SURFACE



MEGALOC



Neo Pro Eiche Natur




Neo Pro Winter Eiche



Winter Eiche 56946
1290 x 203 x 4,5 mm / str. matt




Sanded Oak 55511
1290 x 246 x 4,5 mm / str. matt



Cracked Oak 55513
1290 x 246 x 4,5 mm / str. matt



Elegant Oak 55514
1290 x 246 x 4,5 mm / str. matt



Kalkeiche 56947
1290 x 203 x 4,5 mm / str. matt




Sandeiche 56948
1290 x 203 x 4,5 mm / str. matt



Eiche Natur 56949
1290 x 203 x 4,5 mm / str. matt



Polar Eiche 61447
1290 x 246 x 4,5 mm / str. matt



Kauka Oak 55510
1290 x 246 x 4,5 mm / str. matt




Neo Pro XL Kauka Oak

11. QUICK AND EASY



Thanks to locking systems, CERAMIN is guaranteed to be easy to position during installation. The four-sided micro-bevel ensures a perfect finish on floor.


OUR INSTALLATION SYSTEMS



megaloc


- Push2Loc-Profile
- patented CLASSEN solution
- from 4.5 mm thickness
- Easier and faster installation

SCAN & SEE
how easy it is to lay
a CERAMIN floor




easyloc

- Angle-Angle Profile
- patented CLASSEN solution
- under 4.5 mm



Base

You can install the CERAMIN with use underlay by clicking on it or gluing it to the screed floor.



Underfloor heating

Friendly to warm water and electric underfloor heating systems. The surface temperature must not exceed 29°C.



Easy cut

Need to cut the plank? Use a cutter knife!
Need to make a hole? Use a compass!
Quickly and without dust.

100% WATERPROOF



The 100% waterproof core is a reliable and proven protection against the effects of water, is waterproof and cannot swell. Thus, products with CERAMIN are ideally suited for daily wear, wet cleaning and even for installation in wet rooms.

OUR SURFACE STRUCTURE

SCAN & SEE
our shorts video




Synchronized wood texture DLE

SYNCHRO



Stone texture MINIPEARL

STONE



Wood texture COUNTRY 32

WOOD



Supermatt wood texture

MATT



@ClassenFloorPoland
@ClassenFloorHungary
@ClassenFloorRomania
@ClassenFloorUkraine
@ClassenFloorRussia
@Classen.Group



classen_floor
classen_group



ClassenFloor
Instructions and films



Classen Cloud
Download app with our floors



Classen Competence Centre
Showroom and advice for our customers

www.classenfloor.com
www.ceramin.de

Classen Floor Systems Sp. z o.o.
ul. Wyzwolenia
44-292 Zwonowice, Poland

+48 (32) 429 20 00
biuro@classenfloor.pl

CLASSEN Group
Werner-von-Siemens-Str. 18-20
56759 Kaisersesch, Germany

+49 2653 9800
info@classen.de

2023.07
The catalogue does not constitute an offer within the meaning of commercial law. Classen Floor Systems Sp z o.o. reserves the right to change and improve the products presented in this publication without prior notice. Information contained in this catalogue is correct at the time of publishing.

Colours presented in this catalogue may differ from the products that are on sale.